# Discussion Papers Department of Economics University of Copenhagen

No. 09-05

Fluctuations in Overlapping Generations Economies

Mich Tvede

Studiestræde 6, DK-1455 Copenhagen K., Denmark Tel.: +45 35 32 30 82 – Fax: +45 35 32 30 00 <a href="http://www.econ.ku.dk">http://www.econ.ku.dk</a>

ISSN: 1601-2461 (online)

## Fluctuations in overlapping generations economies\*

#### $Mich Tvede^{\dagger}$

#### Abstract

In the present paper stationary pure-exchange overlapping generations economies with  $\ell$  goods per date and m consumers per generation are considered. It is shown that for an open and dense set of utility functions there exist endowment vectors such that n-cycles exist for  $n \leq \ell + 1$  and  $\ell \leq m$ . The approach to existence of endogenous fluctuations is basic in the sense that the prime ingredients are the implicit function theorem and linear algebra. Moreover the approach is applied to show that for an open and dense set of utility functions there exist endowment vectors such that sunspot equilibria, where prices at every date only depends on the state at that date, exist.

**Keywords:** cycles, overlapping generations economies, sunspot equilibria.

JEL-classification: D51, E32.

<sup>\*</sup>I would like to thank an anonymous referee for useful suggestions including pointing out an error and Enrique Covarrubias for a careful reading.

<sup>&</sup>lt;sup>†</sup>Department of Economics, University of Copenhagen, Studiestraede 6, DK-1455 Copenhagen K, Denmark; Tel: +45 35 32 30 92; Fax: +45 35 32 30 85; email: mich.tvede@econ.ku.dk.

#### 1 Introduction

For dynamic economies, endogenous fluctuations are equilibria, where endogenous variables vary with time even though no exogenous shocks are hitting fundamentals. An early example of a cycle (prices alternate deterministically between finitely many price vectors) in a overlapping generations economy (or OG economies for short) is provided in Gale (1973) where it is noted that "everyone has perfect foresight but cycling nevertheless occurs as a consequence of the equilibrium price mechanism". An effect of endogenous fluctuations is that possibilities of otherwise identical consumers vary with the date of birth. In the present paper the existence of endogenous fluctuations in stationary pure-exchange OG economies is studied.

Cycles in pure-exchange OG economies have been an object of interest in several papers. For simple economies with one good per date and one consumer per generation, the existence of cycles has been studied in Gale (1973), Benhabib & Day (1983) and Grandmont (1985) among others. For economies with many goods per date and many consumers per generation, the existence of cycles has been studied in Ghiglino & Tvede (1995, 2004). In Ghiglino & Tvede (1995) it is shown that for almost all n and almost all lists of individual utility functions, if the number of consumers per generation is at least twice the number of goods per date, then there exist lists of endowment vectors such that there exist n-cycles. In general, cycles in pure-exchange OG economies are caused by the interaction of wealth effects and sustitution effects in demand.

Stationary n-state sunspot equilibria (prices jump stochastically between n price vectors and there is a transition matrix of probabilities for jumps between all pairs of price vectors) in pure-exchange OG economies have been an object of interest in some papers. For simple economies the existence of sunspot equilibria has been studied in Shell (1977), Azariadis (1981) and Azariadis & Guesnerie (1986) among others. In Azariadis & Guesnerie (1986) it is shown that there exists stationary 2-state sunspot equilibria if and only if there exists a 2-cycle which is robust to small changes in fundamentals. However for economies with many goods per date and many consumers per generation, stationary sunspot equilibria typically do not exist as indicated in Davila (1997) and Citanna & Siconolfi (2007).

To understand the importance of the number of goods per date for the existence/non-existence of stationary n-state sunspot equilibria it should be noted that: for economies with one good per date, the net demand of the old consumers is just equal to the real value of the stock of money, so past prices have no impact on aggregate net demand of the old consumers, and; for

economies with more than one good per date, past prices do have an impact on aggregate net demand of old consumers as aggregate net demand of old consumers depends on their consumption at the previous date as well as the distribution of the stock of money. Put mathematically, for economies with more than one good per date there are more equations than unknowns.

The question of existence of cycles has been addressed for productive OG economies in Reichlin (1986), Julian (1988) and Benhabib & Laroque (1988) among others. Moreover cycles also have been studied in optimal growth economies in Benhabib & Nishimura (1979), Boldrin & Montrucchio (1986) and Sorger (1994) among others.

In the present paper stationary pure-exchange OG economies with  $\ell$  goods per date and m consumers per generation are considered and a basic approach for establishing existence of endogenous fluctuations is provided. Indeed in order to establish existence of n-cycles (price vectors alternate deterministically between n price vectors), where  $n \leq \ell + 1$  and  $\ell \leq m$ , two steps are needed: 1. the implicit function theorem is applied to the market clearing condition for n subsequent dates at a stationary equilibrium to show that price vectors for the n subsequent dates can be changed in any direction by changing incomes across dates and consumers, and; 2. linear algebra is applied to budget constraints and equilibrium conditions to show that there exist endowment vectors such that both budget constraints and equilibrium conditions are satisfied for the changed price vectors and endowment vectors. Moreover n-cycles are shown to be robust.

It is sketched how the approach can be applied to establish existence of stationary *n*-state sunspot equilibria. Next it is sketched how stationary sunspot equilibria can be shown not to be robust as indicated in previous work. However existence of stationary sunspot equilibria may still be of interest because economies with endowment vectors in a neighborhood of economies with stationary sunspot equilibria should be expected to have sunspot equilibria close to stationary.

The usual approach to existence of endogenous fluctuations is by applications of bifurcation theory to stationary equilibria. In order to apply bifurcation theory it has to be shown that there exist fundamentals such that the matrix of first-order derivatives of the dynamical system has an eigenvalue of -1 for the period doubling bifurcation or a pair of complex eigenvalues of modulus one for the Naimark-Sacker (Hopf) bifurcation. Thus the approach of the present paper is basic compared to the usual approach as it rests on the implicit function theorem and linear algebra rather than bifurcation theory.

The paper is organized follows. In Section 2 the structure of economies, assumptions and the notion of equilibrium is presented. In Section 3 the main

result of the present paper and a sketch of the proof are presented. In Section 4 the proof of the main result is presented. Finally in Section 5 it is sketched how the approach can be used to establish the existence of stationary sunspot equilibria.

#### 2 Set-Up

Consider a stationary pure-exchange overlapping generations economy where time extends from  $-\infty$  to  $\infty$ . At every date there is a finite number  $\ell$  of goods and a finite number m of consumers, who live for two dates, is born.

Let  $p_t = (p_t^1, \dots, p_t^{\ell}) \in \mathbb{R}_{++}^{\ell}$  be the price vector at date t and let  $(p_t)_t$  be a price system.

Consumers are described by their identical consumption sets  $X = \mathbb{R}^{2\ell}$ , their endowment vectors  $\omega_i = (\omega_i^y, \omega_i^o) \in X$ , where  $\omega_i^y, \omega_i^o \in \mathbb{R}^{\ell}$ , and their utility functions  $u_i : X \to \mathbb{R}$ . An economy is a list of consumers  $(\omega_i, u_i)_i$ .

Consumer i is supposed to satisfy the following assumptions

- (A.1)  $u_i \in C^2(X, \mathbb{R}).$
- $(A.2) Du_i(x) \in \mathbb{R}^{2\ell}_{++}.$
- (A.3)  $z^T D^2 u_i(x) z < 0$  for all  $z \in \mathbb{R}^{2\ell} \setminus \{0\}$ .
- (A.4) For all  $a \in \mathbb{R}$  there exists  $y \in X$  such that if u(x) = a then  $x \geq y$ .

All assumptions are standard. The set of utility function satisfying (A.1)-(A.4) is endowed with the Whitney topology and the set of lists of individual utility functions  $(u_i)_i$  is endowed with the product topology.

The problem of consumer i in generation t for a pair of price vectors  $(p_t, p_{t+1})$  and an income  $w_{it}$ , where  $w_{it} = p_t \cdot \omega_i^y + p_{t+1} \cdot \omega_i^o$ , is

$$\max_{(x^y, x^o)} u_i(x^y, x^o)$$
s.t.  $p_t \cdot x^y + p_{t+1} \cdot x^o \leq w_{it}$ 

For every pair of price vectors  $(p_t, p_{t+1})$  and income  $w_{it}$  there exists unique solution to the problem of consumer i. Therefore let  $f_i : \mathbb{R}^{2\ell}_{++} \times \mathbb{R} \to X$  be the demand function of consumer i.

Let  $r = \sum_i \omega_i^y + \sum_i \omega_i^o$  be the vector of available resources, then an equilibrium is a price system and a list of individual endowment vectors such that all markets clear.

**Definition 1** An equilibrium is a price system and a list of individual endowment vectors  $((p_t)_t, (\omega_i)_i)$  such that

$$\sum_{i} f_{i}^{y}(p_{t}, p_{t+1}, p_{t} \cdot \omega_{i}^{y} + p_{t+1} \cdot \omega_{i}^{o}) + \sum_{i} f_{i}^{o}(p_{t-1}, p_{t}, p_{t-1} \cdot \omega_{i}^{y} + p_{t} \cdot \omega_{i}^{o}) = r$$

for all t.

### 3 Cycles

A n-cycle is an equilibrium where price vectors alternate deterministically between n price vectors.

**Definition 2** A n-cycle is an equilibrium  $((p_t)_t, (\omega_i)_i)$  such that  $p_{t+n} = p_t$  for all t. A non-trivial n-cycle is a n-cycle that is not a k-cycle for any k < n.

In Kehoe & Levine (1984) it is shown that every economy has a 1-cycle or a steady state. For simplicity n-cycles are denoted  $((p_j)_{j=1}^n, (\omega_i)_i)$ .

Let  $\mathcal{U}(p,(w_i)_i)$  denote the set of lists of individual utility functions for which the  $\ell \times \ell$ -matrices

$$(D_w f_1^y \dots D_w f_\ell^y)$$

and

$$I + (-1)^{n-1}((D_w f_1^y \dots D_w f_\ell^y)^{-1}(D_w f_1^o \dots D_w f_\ell^o))^n,$$

where  $D_w f_i^y = D_w f_i^y(p, p, w_i)$  and  $D_w f_i^o = D_w f_i^o(p, p, w_i)$ , have rank  $\ell$ .

**Lemma 1** Suppose that  $m \geq \ell$ . Then  $\mathcal{U}(p,(w_i)_i)$  is open and dense for all  $(p,(w_i)_i)$ .

Remark: Since the proof of Lemma 1 is rather long and not too complicated it is delegated to the Appendix.

End of remark

Let  $\mathcal{P}_n \subset (\mathbb{R}_{++}^{\ell})^n$  denote the set of lists of n price vectors  $(p_j)_{j=1}^n$ , such that the  $\ell \times (n-1)$ -matrix  $(p_1 - p_2 \dots p_{n-1} - p_n)$  has rank n-1.

**Theorem 1** Suppose that  $n \leq \ell + 1$  and  $\ell \leq m$ . For every price vector and list of individual incomes  $(p, (w_i)_i)$ , list of individual utility functions  $(u_i)_i \in \mathcal{U}(p, (w_i)_i)$  and neighborhood  $\mathcal{N}_w$  of  $(w_i)_i$ , there exists a neighborhood  $\mathcal{N}_p$  of p such that for all  $(p_j)_{j=1}^n \in \mathcal{N}_p^n \cap \mathcal{P}_n$ , there exists  $(\omega_i)_i$  such that  $((p_j)_j, (\omega_i)_i)$  is a non-trivial n-cycle and  $(w_i^j)_{i,j} \in \mathcal{N}_w^n$ , where  $w_i^j = p_j \cdot \omega_i^y + p_{j+1} \cdot \omega_i^o$  for all i and j.

Sketch of proof: The proof consists of two major steps. Here the steps are explained and in the next section the steps are done in detail.

In the first step the following system of equations is considered

$$\sum_{i} f_{i}^{y}(p_{1}, p_{2}, w_{i}^{1}) + \sum_{i} f_{i}^{o}(p_{n}, p_{1}, w_{i}^{n}) = r$$

$$\sum_{i} f_{i}^{y}(p_{2}, p_{3}, w_{i}^{2}) + \sum_{i} f_{i}^{o}(p_{1}, p_{2}, w_{i}^{1}) = r$$

$$\vdots$$

$$\sum_{i} f_{i}^{y}(p_{n-1}, p_{n}, w_{i}^{n-1}) + \sum_{i} f_{i}^{o}(p_{n-2}, p_{n-1}, w_{i}^{n-2}) = r$$

$$\sum_{i} f_{i}^{y}(p_{n}, p_{1}, w_{i}^{n}) + \sum_{i} f_{i}^{o}(p_{n-1}, p_{n}, w_{i}^{n-1}) = r.$$

$$(1)$$

For a price vector and a list of individual incomes  $(p, (w_i)_i)$  the implicit function theorem can applied to the system of equations (1) at  $((p_j)_j, (w_i^j)_{i,j}, r)$ , where  $p_j = p$ ,  $w_i^j = w_i$  and  $r = \sum_i f_i^y(p, p, w_i) + \sum_i f_i^o(p, p, w_i)$  to obtain some of the individual incomes as functions of lists of price vectors and the rest of the individual incomes.

In the second step for a list of price vectors, a list of individual incomes and a vector of available resources  $((p_j)_j, (w_i^j)_{i,j}, r)$  the following systems of equations are considered

$$p_{1} \cdot \omega_{i}^{y} + p_{2} \cdot \omega_{i}^{o} = w_{i}^{1}$$

$$p_{2} \cdot \omega_{i}^{y} + p_{3} \cdot \omega_{i}^{o} = w_{i}^{2}$$

$$\vdots$$

$$p_{n-1} \cdot \omega_{i}^{y} + p_{n} \cdot \omega_{i}^{o} = w_{i}^{n-1}$$

$$p_{n} \cdot \omega_{i}^{y} + p_{1} \cdot \omega_{i}^{o} = w_{i}^{n}$$

$$(2)$$

for all i and

$$\sum_{i} \omega_i^y + \sum_{i} \omega_i^o = r. \tag{3}$$

A list of individual endowment vectors  $(\omega_i)_i$ , such that the systems of equations (2) and (3) are satisfied, is found.

The first step is used to find a list of price vectors  $(p_j)_j$  and the second step is used to find a list of individual endowment vectors  $(\omega_i)_i$  such that  $((p_j)_j, (\omega_i)_i)$  is a *n*-cycle.

End of sketch

Remark: As explained in Section 2 consumption sets are unbounded rather than bounded from below. Clearly both steps in the proof of Theorem 1 remain valid for consumption sets that are bounded from below. However if consumption sets are bounded from below and the endowment vectors have to be in the consumption sets, then the second step could fail.

End of remark

For a n-cycle there are  $\ell n - 1$  equilibrium conditions because of Walras law and  $\ell n - 1$  prices because demand functions are homogenous of degree zero. Therefore n-cycles should be expected to be robust in following sense: if an economy has a n-cycles, then there exists a sequence of economies that converges to the economy such that every economy in the sequence has a n-cycle and for every economy in the sequence there exists a neighborhood such that every economy in the neighborhood has a n-cycle.

**Proposition 1** Suppose that  $((p_j)_j, (\omega_i)_i)$  is a non-trivial n-cycle for  $(u_i)_i$ . Then in every neighborhood of  $(u_i)_i$  there exist  $(u'_i)_i$  and a neighborhood of  $(\omega_i)_i$  such that for every  $(\omega'_i)_i$  in the neighborhood of  $(\omega_i)_i$  there exists  $(p'_j)_j$  such that  $((p'_i)_j, (\omega'_i)_i)$  is a non-trivial n-cycle for  $(u'_i)_i$ .

*Remark:* Since the proof of Proposition 1 is based on the proof of Lemma 1 it is delegated to the Appendix.

End of remark

#### 4 Proof of Theorem 1

The proof of Theorem 1 consists of two lemmas.

**Definition 3** A price-income n-cycle for  $r \in \mathbb{R}^{\ell}$  is a list of price vectors and a list of individual incomes  $((p_j)_{j=1}^n, ((w_i^j)_i)_{j=1}^n)$  such that the system of equations (1) is satisfied.

**Lemma 2** Suppose that  $m \geq \ell$ . For all  $(p, (w_i)_i)$  and  $(u_i)_i \in \mathcal{U}(p, (w_i)_i)$  if

$$r = \sum_{i} f_i^y(p, p, w_i) + \sum_{i} f_i^o(p, p, w_i)$$

then there exist a neighborhood  $\mathcal{N}_p$  of p, a neighborhood  $\mathcal{N}_w$  of  $(w_i)_i$  and a differentiable map  $\Gamma: \mathcal{N}_p^n \times (pr_{\{\ell+1,\ldots,m\}}\mathcal{N}_w)^n \to (pr_{\{1,\ldots,\ell\}}\mathcal{N}_w)^n$  such that for all  $(p_j)_{j=1}^n$ , where  $p_j \in \mathcal{N}_p$  for all j, and  $(w_i^j)_{i,j}$ , where  $(w_i^j)_i \in \mathcal{N}_w$  for all j,

$$(w_i^j)_{i \in \{1,\dots,\ell\},j} = \Gamma(p_1,\dots,p_n,(w_i^j)_{i \in \{\ell+1,\dots,m\},j})$$

if and only if  $((p_j)_{j=1}^n, ((w_i^j)_i)_{j=1}^n)$  is a price-income n-cycle for r.

Proof: For  $(p, (w_i)_i, r)$ , where  $r = \sum_i f_i^y(p, p, w_i) + \sum_i f_i^o(p, p, w)$ , suppose  $((p_j)_j, (w_i^j)_i)_j)$  is defined by  $p_1 = \ldots = p_n = p$  and  $w_i^1 = \ldots = w_i^n = w_i$ , then  $((p_j)_j, (w_i^j)_i)_j)$  is a solution to the system of equations (1). Let the  $\ell \times \ell$  matrices A and B be defined by  $A = (D_w f_1^y \dots D_w f_\ell^y)$  and  $B = (D_w f_1^o \dots D_w f_\ell^o)$ , then the derivatives of the system of equations (1) with respect to  $((w_i^j)_{i=1}^\ell)_{i=1}^n$  is

$$\begin{pmatrix}
A & & B \\
B & \ddots & \\
& \ddots & A \\
& & B & A
\end{pmatrix}.$$

Consider the following operations on matrix of derivatives of the system of equations (1): the first row-block is multiplied by  $-BA^{-1}$  from the left and added to the next row-block,..., the second last row-block is multiplied by  $-BA^{-1}$  from the left and added to the last row-block. Then the matrix of derivatives of the system of equations (1) becomes

$$\begin{pmatrix} A & & & B \\ & A & & -BA^{-1}B \\ & & \ddots & & \vdots \\ & & A & (-1)^{n-2}B(A^{-1}B)^{n-2} \\ & & & A+(-1)^{n-1}B(A^{-1}B)^{n-1} \end{pmatrix}.$$

Therefore the matrix of derivatives of the system of equations (1) has rank  $\ell n$ , because the  $\ell \times \ell$  matrices A and  $I + (-1)^{n-1}(A^{-1}B)^n$  have rank  $\ell$  by assumption and  $A + (-1)^{n-1}B(A^{-1}B)^{n-1} = A(I + (-1)^{n-1}(A^{-1}B)^n)$ .

Hence according to the implicit function theorem there exist a neighborhood  $\mathcal{N}_p$  of p, a neighborhood  $\mathcal{N}_w$  of  $(w_i)_i$  and a differentiable map  $\Gamma$ :  $\mathcal{N}_p^n \times (\operatorname{pr}_{\{\ell+1,\ldots,m\}} \mathcal{N}_w)^n \to (pr_{\{1,\ldots,\ell\}} \mathcal{N}_w)^n$  such that for all  $(p_j)_{j=1}^n$  where  $p_j \in \mathcal{N}_p$  for all j, and  $(w_i^j)_{i,j}$  where  $(w_i^j)_i \in \mathcal{N}_w$  for all j

$$(w_i^j)_{i \in \{1,\dots,\ell\},j} = \Gamma(p_1,\dots,p_n,(w_i^j)_{i \in \{\ell+1,\dots,m\},j})$$

if and only if  $((p_j)_{j=1}^n, ((w_i^j)_i)_{j=1}^n)$  is a price-income n-cycle.

**Definition 4** For a list of price vectors, a list of individual incomes and a vector of total endowment  $((p_j)_{j=1}^n, ((w_i^j)_i)_{j=1}^n, r)$ , an **endowment** n-cycle is a list of individual endowment vectors  $(\omega_i)_i$  such that the systems of equations (2) and (3) are satisfied.

8

**Lemma 3** Suppose that  $n \leq \ell + 1$ . For all  $(p_j)_{j=1}^n \in \mathcal{P}_n$ ,  $((w_i^j)_i)_{j=1}^n$  and r, if  $\sum_{i,j} w_i^j = (\sum_j p_j) \cdot r$ , then there exists an endowment n-cycle.

*Proof:* For all  $((p_j)_j, (w_i^j)_{i,j}, r)$  where  $\sum_{i,j} w_i^j = (\sum_j p_j) \cdot r$ , if  $(\omega_i)_i$  satisfies the system of equations (2) except the last equation and the system of equations (3), then the last equation of the system of equations (2) is satisfied too, so  $(\omega_i)_i$  is an endowment n-cycle.

For  $(p_j)_{j=1}^n$  let the  $n \times 2\ell$ -matrix P be defined by

$$P = \begin{pmatrix} p_1^T & p_2^T \\ \vdots & \vdots \\ p_n^T & p_1^T \end{pmatrix}$$

and let the  $(n-1) \times 2\ell$ -matrix  $(Q_1Q_2)$  be the matrix P without the last row. Then  $(\omega_i)_i$  is an endowment n-cycles if and only if

$$\begin{pmatrix} P & & & & \\ & \ddots & & & \\ & & P & & \\ & & & Q_1 Q_2 \\ I I & \cdots & I I & I & I \end{pmatrix} \begin{pmatrix} \omega_1 \\ \vdots \\ \omega_m \end{pmatrix} = \begin{pmatrix} w_1^1 \\ \vdots \\ w_m^{n-1} \\ r \end{pmatrix}.$$

Consider the following operations on the matrix above: the column-block for  $\omega_m$  is multiplied by -1 and added to the column-block for  $\omega_1$ ; ...; the column-block for  $\omega_m$  is multiplied by -1 and added to the column-block for  $\omega_{m-1}$ ; ...; the row-block for consumer 1 except the last row is multiplied by -1 and added to row-block for consumer m-1 except the last row is multiplied by -1 and added to the row-block for consumer m, and; the column-block for  $\omega_i^o$  is multiplied by -1 and added to the column-block for  $\omega_i^o$ . Then the matrix above becomes

$$\begin{pmatrix} P & & & & & \\ & \ddots & & & & \\ & & P & & & \\ & & & Q_1 - Q_2 Q_2 \\ & & & I \end{pmatrix}.$$

If the matrix P has rank n and the matrix  $Q_1 - Q_2$  has rank n - 1, then the matrix above has rank  $\ell + mn - 1$ .

The matrix  $Q_1 - Q_2 = (p_1 - p_2 \dots p_{n-1} - p_n)^T$  has rank n-1, because  $(p_j)_{j=1}^n \in \mathcal{P}_n$ . Consider the following operations on the matrix P: The first n-1 rows are added to the last row, and; the last column-block is multiplied by -1 and added to the first column-block. Then the matrix becomes

$$\begin{pmatrix} Q_1 - Q_2 & Q_2 \\ & \sum_{j=1}^n p_j^T \end{pmatrix}.$$

Therefore the matrix P has rank n as the matrix  $Q_1 - Q_2$  has rank n - 1. Hence there exists a endowment n-cycle.

#### 5 Sunspot Equilibria

In the present section it is explained how the approach to existence of n-cycles can be applied to existence of stationary n-state sunspot equilibria. In stationary n-state sunspot equilibria there are n price vectors  $p_1, \ldots, p_n$  and a transition matrix  $\pi$  such that if the price at date t is  $p_j$ , then the price at date t+1 is  $p_k$  with probability  $\pi_{jk} > 0$  so  $\sum_k \pi_{jk} = 1$ .

If the price at date t is  $p_i$ , then the problem of consumer i is

$$\max_{(x^{y},(x^{k})_{k})} \sum_{k} \pi_{jk} u_{i}(x^{y}, x^{k})$$
s.t.
$$\begin{cases} p_{j} \cdot x^{y} + p_{1} \cdot x^{1} &= w_{i}^{j1} \\ \vdots \\ p_{j} \cdot x^{y} + p_{n} \cdot x^{n} &= w_{i}^{jn} \end{cases}$$

Let  $g_i = (g_i^y, (g_i^j)_j) : \mathbb{R}_{++}^{\ell(1+n)} \times \mathbb{R}^n \times ]0, 1[^n \to \mathbb{R}^{\ell(1+n)}$  be the demand function of consumer i.

**Definition 5** A stationary *n*-state sunspot equilibrium is a list of n price vectors, a list of individual endowment vectors and a transition matrix  $((p_i)_i, (\omega_i)_i, \pi)$  such that

$$\sum_{i} g_{i}^{y}(p_{j}, (p_{j'})_{j'}, (p_{j} \cdot \omega_{i}^{y} + p_{j'} \cdot \omega_{i}^{o})_{j'}, \pi_{j})$$

$$+ \sum_{i} g_{i}^{j}(p_{k}, (p_{k'})_{k'}, (p_{k} \cdot \omega_{i}^{y} + p_{k'} \cdot \omega_{i}^{o})_{k'}, \pi_{k}) = r$$

for all j and k. A non-trivial n-state sunspot equilibrium is a n-state sunspot equilibrium where  $p_k \neq p_j$  and  $\pi_{jk} \neq 0$  for all j and k.

In order to establish the existence of stationary n-state sunspot equilibrium two steps are needed.

In the first step the following system of equations are considered.

$$\sum_{i} g_{i}^{y}(p_{1}, (p_{j})_{j}, (w_{i}^{1j})_{j}, \pi_{1}) + \sum_{i} g_{i}^{1}(p_{1}, (p_{j})_{j}, (w_{i}^{1j})_{j}, \pi_{1}) = r$$

$$\vdots$$

$$\sum_{i} g_{i}^{y}(p_{1}, (p_{j})_{j}, (w_{i}^{1j})_{j}, \pi_{1}) + \sum_{i} g_{i}^{1}(p_{n}, (p_{k})_{k}, (w_{i}^{nk})_{k}, \pi_{n}) = r$$

$$\vdots$$

$$\sum_{i} g_{i}^{y}(p_{n}, (p_{j})_{j}, (w_{i}^{nj})_{j}, \pi_{n}) + \sum_{i} g_{i}^{n}(p_{1}, (p_{k})_{k}, (w_{i}^{1k})_{k}, \pi_{1}) = r$$

$$\vdots$$

$$\sum_{i} g_{i}^{y}(p_{n}, (p_{j})_{j}, (w_{i}^{nj})_{j}, \pi_{n}) + \sum_{i} g_{i}^{n}(p_{n}, (p_{k})_{k}, (w_{i}^{nk})_{k}, \pi_{n}) = r$$

For a price vector and a list of individual incomes  $(p, (w_i)_i)$  the implicit function theorem can applied to the system of equations at  $((p_j)_j, (w_i^{jk})_{i,j,k}, r)$ , where  $p_j = p$ ,  $w_i^{j,k} = w_i$  and  $r = \sum_i f_i^y(p, p, w_i) + \sum_i f_i^o(p, p, w_i)$  to obtain the individual incomes of the consumers with  $i \leq \ell$  as functions of lists of price vectors and the individual incomes of the consumers with  $i \geq \ell + 1$ . There are  $\ell n^2$  equations and  $mn^2$  individual incomes, so it is necessary that  $m \geq \ell$ .

In the second step the following systems of equations are considered.

$$\begin{array}{rclcrcl} p_{1}\cdot\omega_{i}^{y}+p_{1}\cdot\omega_{i}^{o} & = & w_{i}^{11} \\ & & \vdots & & \\ p_{1}\cdot\omega_{i}^{y}+p_{n}\cdot\omega_{i}^{o} & = & w_{i}^{1n} \\ & & \vdots & & \\ p_{n}\cdot\omega_{i}^{y}+p_{1}\cdot\omega_{i}^{o} & = & w_{i}^{n1} \\ & & \vdots & & \\ p_{n}\cdot\omega_{i}^{y}+p_{1}\cdot\omega_{i}^{o} & = & w_{i}^{nn} \end{array}$$

for all i and

$$\sum_{i} \omega_{i}^{y} + \sum_{i} \omega_{i}^{o} = r.$$

For  $((p_j)_j, (w_i^{jk})_{i,j,k}, r)$ , where  $\sum_i w_i^{jk} + \sum_i w_{kj} = (p_j + p_k) \cdot r$  for all j and k, if all budget constraint are satisfied for all consumers except consumer i = m, all budget constraints  $p_j \cdot \omega_m^y + p_k \cdot \omega_m^o = w_m^{jk}$  where k > j are satisfied for consumer i = m and all resource equations are satisfied, then all equations are

satisfied. Therefore for  $((p_j)_j, (w_i^{jk})_{i,j,k}, r)$ , where  $\sum_i w_i^{jk} + \sum_i w_{kj} = (p_j + p_k) \cdot r$  for all j and k, linear algebra can be applied to the two systems of equations to obtain individual endowment vectors as functions of lists of price vectors, lists of individual incomes and total resources. There are  $\ell + (m-1)n^2 + (n-1) + \ldots + 1$  equations and  $2\ell m$  individual endowments, so it is necessary that  $2\ell m > \ell + (m-1)n^2 + (n-1) + \ldots + 1$ .

For a stationary n-state sunspot equilibrium there are  $\ell n^2 - ((n-1)+\ldots+1)$  equilibrium conditions because of Walras law,  $\ell n-1$  prices because demand functions are homogenous of degree zero and n(n-1) probabilities. For at least two goods  $\ell \geq 2$  the joint transversality theorem (Theorem I.2.2. in Mas-Colell (1985)) can be used study robustness of sunspot equilibria. Indeed suppose that  $((p_j), (\omega_i)_i, \pi)$  is a non-trivial n-state sunspot equilibrium where the derivative of the equilibrium conditions with respect to  $(\omega_i)$  has rank  $\ell n^2 - ((n-1)+\ldots+1)$ . Then there exist neighborhoods  $\mathcal{N}_p$  of  $(p_j)_j$ ,  $\mathcal{N}_\omega$  of  $(\omega_i)$  and  $\mathcal{N}_\pi$  of  $\pi$  such that the set of economies in  $\mathcal{N}_\omega$  with stationary n-state sunspot equilibria in  $\mathcal{N}_p \times \mathcal{N}_\omega \times \mathcal{N}_\pi$  has measure zero.

### Appendix

#### Proof of Lemma 1

Suppose that  $\ell \leq m$ . Then clearly  $\mathcal{U}(p,(w_i)_i)$  is open for all  $(p,(w_i)_i)$  so it remains to be shown that  $\mathcal{U}(p,(w_i)_i)$  is dense. In the sequel it is shown that if  $(u_i)_i \notin \mathcal{U}(p,(w_i)_i)$ , then in every neighborhood of  $(u_i)_i$ , there exists  $(u_i')_i$  such that  $(u_i')_i \in \mathcal{U}(p,(w_i)_i)$ .

Let  $j \in C^2(\mathbb{R}^{2\ell}, [0, 1/2])$  be a function, where there exist  $\nu > \mu > 0$  such that j(z) = 1/2 for  $||z|| \le \mu$  and j(z) = 0 for  $||z|| \ge \nu$ . Then perturbations of the utility function of consumer i of the form

$$u_i(x) + j(x - \bar{x})(x - \bar{x})^T S(x - \bar{x}),$$

where S is a symmetric  $2\ell \times 2\ell$ -matrix, are considered in the sequel. For  $x = \bar{x}$  the first-order derivative and the second-order derivative of the perturbed utility function are  $Du_i(x)$  and  $D^2u_i(x) + S$  so the first-order derivative is not perturbed while the second-order derivative is perturbed.

Clearly a consumption bundle x is the solution to the problem of consumer i for a pair of prices (p, p) and an income  $w_i$  if and only if there exists  $\lambda_i > 0$ 

such that

$$Du_i(x) - \lambda_i \begin{pmatrix} p \\ p \end{pmatrix} = 0$$

$$p^T(x^y + x^o) = w_i.$$
(4)

Note that if the utility function is perturbed at a solution to the problem, then the solution remains the solution because the first-order derivative is not perturbed.

For convenience let  $f_i = f_i(p, p, w_i)$ ,  $D^2 u_i = D^2 u_i(f_i(p, p, w_i))$ ,  $D_w f_i = D_w f_i(p, p, w_i)$  and  $D_w \lambda_i = D_w \lambda_i(p, p, w_i)$ , then the derivatives of the demand function and the Lagrange multiplier with respect to income are defined by

$$D^{2}u_{i}D_{w}f_{i} - D_{w}\lambda_{i} \begin{pmatrix} p \\ p \end{pmatrix} = 0$$
$$p^{T}(D_{w}f_{i}^{y} + D_{w}f_{i}^{o}) = 1.$$

Let  $S_{\alpha}$  be a symmetric  $2\ell \times 2\ell$ -matrix defined by

$$S_{\alpha} = (D^2 u_i^{-1} + \alpha I)^{-1} - D^2 u_i.$$

and suppose that  $u_i$  is perturbed by  $g_{\alpha}$ , where  $g_{\alpha}: X \to \mathbb{R}$  is defined by

$$g_{\alpha}(x) = j(x - f_i)(x - f_i)^T S_{\alpha}(x - f_i).$$

If  $\alpha$  converges to zero, then  $S_{\alpha}$  converges to the zero-matrix. Therefore there exists  $\bar{\alpha} > 0$  such that if  $0 < \alpha < \bar{\alpha}$ , then the perturbed function  $u_i + g_{\alpha}$  satisfies (A.1)-(A.4). Hence if  $\alpha$  converges to zero, then the sequence of perturbed functions  $(u_i + g_{\alpha})_{\alpha}$  converges to the unperturbed function  $u_i$ . Moreover for the perturbed functions all coordinates of  $D_w f_i$  are different from zero except for finitely many values of  $\alpha$  because

$$(D^{2}u_{i} + S_{\alpha})D_{w}f_{i} - D_{w}\lambda_{i} \begin{pmatrix} p \\ p \end{pmatrix} = 0$$
$$p^{T}(D_{w}f_{i}^{y} + D_{w}f_{i}^{o}) = 1$$

SO

$$D_w f_i = D_w \lambda_i (D^2 u_i + S_\alpha)^{-1} \begin{pmatrix} p \\ p \end{pmatrix} = D_w \lambda_i (D^2 u_i^{-1} + \alpha I) \begin{pmatrix} p \\ p \end{pmatrix}.$$

For a perturbed function  $u_i + g_{\alpha}$ , where all coordinates of  $D_w f_i$  are different from zero, and  $v_i \in \mathbb{R}^{2\ell}$ , where  $p^T(v_i^y + v_i^o) = 0$ , let  $\Delta_{\beta}$  be a diagonal  $2\ell \times 2\ell$ -matrix defined by

$$\beta(D^2u_i + S_\alpha)v_i + \Delta_\beta(D_w f_i + \beta v_i) = 0$$

and suppose the perturbed function  $u_i + g_{\alpha}$  is perturbed by  $h_{\beta}$ , where  $h_{\beta}$ :  $X \to \mathbb{R}$  is defined by

$$h_{\beta}(x) = j(x - f_i)(x - f_i)^T \Delta_{\beta}(x - f_i).$$

If  $\beta$  converges to zero, then  $\Delta_{\beta}$  converges to the zero-matrix because all coordinates of  $D_w f_i$  are different from zero. Therefore for all  $0 < \alpha \le \bar{\alpha}$  there exists  $\bar{\beta} > 0$  such that if  $0 < \beta < \bar{\beta}$ , then the twice perturbed function  $u_i + g_{\alpha} + h_{\beta}$  satisfies (A.1)-(A.4). Moreover if  $D_w f_i$  and  $D_w \lambda_i$  satisfy equation (4) for the perturbed function  $u_i + g_{\alpha}$ , then  $D_w f_i + \beta v_i$  and  $D_w \lambda_i$  satisfy equation (4) for the twice perturbed function  $u_i + g_{\alpha} + h_{\beta}$  because  $p^T(v_i^y + v_i^o) = 1$  and  $(D^2 u_i + S_{\alpha} + \Delta_{\beta})(D_w f_i + \beta v_i) = (D^2 u_i + S_{\alpha})D_w f_i$ . Hence the derivative of the demand function with respect to income for the twice perturbed function is  $D_w f_i + \beta v_i$ .

In order to show that for a dense set of lists of individual utility functions the matrix  $(D_w f_1^y \dots D_w f_\ell^y)$  has rank  $\ell$ , suppose that all coordinates of the vector  $D_w f_i$  are different from zero for all  $i \leq \ell$ . Consider the matrix  $(D_w f_1^y \dots D_w f_\ell^y) + \gamma V$  where  $V^y = (v_1^y \dots v_\ell^y) = (1/\ell) \Delta_p - (D_w f_1^y \dots D_w f_\ell^y)$  and  $\Delta_p$  is a diagonal  $\ell \times \ell$ -matrix with  $(1/p_1, \dots, 1/p_\ell)$  in the diagonal, and  $V^o = (v_1^o \dots v_\ell^o) = -(D_w f_1^o \dots D_w f_\ell^o)$ . Then the determinant of

$$(D_w f_1^y \dots D_w f_\ell^y) + \gamma V^y$$

is  $(1-\gamma)^{\ell}$  times a polynomial of degree  $\ell$  in  $\gamma/(1-\gamma)$  where the coefficient in front of  $(\gamma/(1-\gamma))^{\ell}$  is  $(\ell^{\ell}p_1 \dots p_{\ell})^{-1}$ . Therefore there exists  $\bar{\gamma} > 0$  such that if  $0 < \gamma < \bar{\gamma}$ , then the perturbed matrix has rank  $\ell$ .

In order to show that for a dense set of lists of individual utility functions the matrix  $I + (-1)^{n-1}((D_w f_1^y \dots D_w f_\ell^y)^{-1}(D_w f_1^o \dots D_w f_\ell^o))^n$  has rank  $\ell$ , suppose that all coordinates of the vector  $D_w f_i$  are different from zero for all  $i \leq \ell$ . Consider the matrix  $(D_w f_1^y \dots D_w f_\ell^y) + \delta V$  where  $V^y = -(D_w f_1^y \dots D_w f_\ell^y)$  and  $V^o = (1/\ell)\Delta_p - (D_w f_1^o \dots D_w f_\ell^o)$ . Then the determinant of

$$I + (-1)^{n-1}(((D_w f_1^y \dots D_w f_\ell^y) + \delta V^y)^{-1}((D_w f_1^o \dots D_w f_\ell^o) + \delta V^o))^n$$

is a polynomial of degree  $\ell n$  in  $\delta/(1-\delta)$  where the coefficient in front of  $(\delta/(1-\delta))^{\ell n}$  is  $(-1)^{\ell(n-1)}(\det(D_w f_1^y \dots D_w f_\ell^y))^{-n}$ . Hence there exists  $\bar{\delta} > 0$  such that if  $0 < \delta < \bar{\delta}$ , then the perturbed matrix has rank  $\ell$ .

#### Proof of Proposition 1

Suppose that  $((p_j)_j, (\omega_i)_i)$  is a non-trivial *n*-cycle for  $(u_i)_i$ , so the system of equations (1) is satisfied for  $w_i^j = p_j \cdot \omega_i^y + p_{j+1} \cdot \omega_i^o$  for all i and j and

 $r = \sum_i \omega_i^y + \sum_i \omega_i^o$ . In the system of equations (1) the last equation is redundant because of Walras law and the last price can be normalized to one because demand functions are homogenous of degree zero. Suppose that the matrix of derivatives with respect to prices has full rank for the modified system of equations (where the last equation is disregarded and the last price normalized to one). Then locally prices are differentiable functions of endowments according to the implicit function theorem. Therefore there exists a neighborhood of  $(\omega_i)_i$  such that for every  $(\omega_i')_i$  in the neighborhood of  $(\omega_i)_i$  there exists  $(p_j')_j$  such that  $((p_j')_j, (\omega_i')_i)$  is a non-trivial n-cycle for  $(u_i)_i$ .

In the sequel it is shown that if  $((p_j)_j, (\omega_i)_i)$  is a non-trivial n-cycle for  $(u_i)_i$  and the matrix of derivatives with respect to prices has not full rank for the modified system of equations,, then in every neighborhood of  $(u_i)_i$ , there exists  $(u'_i)_i$  such that  $((p_j)_j, (\omega_i)_i)$  is a n-cycle for  $(u'_i)_i$  and the matrix of derivatives with respect to prices has full rank for the modified system of equations for  $(u'_i)_i$ .

The matrix of derivatives of the system of equations (1) with respect to prices is

$$\begin{pmatrix}
D_n + A_1 & B_1 & & & C_n \\
C_1 & D_1 + A_2 & B_2 & & & & \\
& & \ddots & & \ddots & & \\
& & & C_{n-2} & D_{n-2} + A_{n-1} & B_{n-1} \\
B_n & & & C_{n-1} & D_{n-1} + A_n
\end{pmatrix}$$

where

$$A_{j} = \sum_{i} D_{p_{j}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) \omega_{i}^{yT}$$

$$B_{j} = \sum_{i} D_{p_{j+1}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) \omega_{i}^{oT}$$

$$C_{j} = \sum_{i} D_{p_{j}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) \omega_{i}^{yT}$$

$$D_{j} = \sum_{i} D_{p_{j+1}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) \omega_{i}^{oT}.$$

For the modified system the matrix of derivatives with respect to prices is the matrix above without the last row and the last column.

Suppose that the utility function of consumer i is perturbed while the utility functions of the other consumers are not perturbed. Let  $S \subset \{1, ..., n\}$  be a

set such that  $f_i^j \neq f_i^k$  for all  $j, k \in S$  and if  $j \neq S$ , then there exists  $k \in S$  such that  $f_i^j = f_i^k$ . Then  $(f_i^j)_{j \in S}$  is the different consumption bundles for consumer i in the n-cycle.

Suppose that the utility function of consumer i is perturbed to

$$u_i(x) - \frac{\alpha}{1+\alpha} \sum_{j \in S} j(x - f_i^j)(x - f_i^j)^T D^2 u_i(f_i^j)(x - f_i^j)$$

where  $j \in C^2(\mathbb{R}^{2\ell}, [0, 1/2])$  is defined as in the proof of Lemma 1 with  $\nu < \min_{j,k \in S, j \neq k} \|f_i^j - f_i^k\|$ . If  $\alpha$  converges to zero, then  $(\alpha/(1+\alpha))D^2u_i(f_i^j)$  converges to the zero-matrix. Therefore there exists  $\bar{\alpha} > 0$  such that if  $0 < \alpha < \bar{\alpha}$ , then the perturbed function satisfies (A.1)-(A.4). If the matrix of derivatives with respect to prices for demand of the unperturbed utility function is  $D_{p_j,p_{j+1}}f_i^j + D_{w_i}f_i^jf_i^{jT} + D_{w_i}f_i^j(\omega_i^T - f_i^j)^T$ , then the matrix of derivatives with respect to prices for the demand of the perturbed utility function is  $(1+\alpha)(D_{p_j,p_{j+1}}f_i^j + D_{w_i}f_i^jf_i^{jT}) + D_{w_i}f_i^j(\omega_i^T - f_i^j)^T$ .

The perturbed modified matrix, where the utility function of consumer i is perturbed, is equal to the sum of unperturbed modified matrix and  $\alpha$  times the matrix

$$\begin{pmatrix} H_n + E_1 & F_1 & & & G_n \\ G_1 & H_1 + E_2 & F_2 & & & & \\ & \ddots & \ddots & \ddots & & \\ & & G_{n-2} & H_{n-2} + E_{n-1} & F_{n-1} \\ F_n & & & G_{n-1} & H_{n-1} + G_n \end{pmatrix}$$

where

$$E_{j} = D_{p_{j}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j})^{T}$$

$$F_{j} = D_{p_{j+1}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j}) f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j})^{T}$$

$$G_{j} = D_{p_{j}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) f_{i}^{y}(p_{j}, p_{j+1}, w_{i}^{j})^{T}$$

$$H_{j} = D_{p_{j+1}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) + D_{w_{i}} f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j}) f_{i}^{o}(p_{j}, p_{j+1}, w_{i}^{j})^{T}.$$

Therefore if the perturbed modified matrix is multiplied by a vector  $q = (q_1, \ldots, q_n) \in \mathbb{R}^{\ell n-1}$ , where  $q_1, \ldots, q_{n-1} \in \mathbb{R}^{\ell}$  and  $q_n \in \mathbb{R}^{\ell-1}$ , from the left

and the right, then it is a linear function in  $\alpha$ . The coefficient in front of  $\alpha$  is

$$\begin{split} \sum_{j=1}^{n-2} \left( \begin{array}{c} q_j \\ q_{j+1} \end{array} \right)^T \left( D_{p_j, p_{j+1}} f_i^j + D_{w_i} f_i^j f_i^{jT} \right) \left( \begin{array}{c} q_j \\ q_{j+1} \end{array} \right) \\ + \left( \begin{array}{c} q_{n-1} \\ q_n \end{array} \right)^T \left( D_{p_{n-1}, p_n} f_i^{n-1} + D_{w_i} f_i^{n-1} f_i^{n-1T} \right)_{-2\ell}^{-2\ell} \left( \begin{array}{c} q_{n-1} \\ q_n \end{array} \right) \\ + \left( \begin{array}{c} q_n \\ q_1 \end{array} \right)^T \left( D_{p_n, p_1} f_i^n + D_{w_i} f_i^n f_i^{nT} \right)_{-\ell}^{-\ell} \left( \begin{array}{c} q_n \\ q_1 \end{array} \right), \end{split}$$

where  $(D_{p_{n-1},p_n}f_i^{n-1} + D_{w_i}f_i^{n-1}f_i^{n-1T})_{-2\ell}^{-2\ell}$  is  $D_{p_{n-1},p_n}f_i^{n-1} + D_{w_i}f_i^{n-1}f_i^{n-1T}$  without the  $2\ell$ 'th row and the  $2\ell$ 'th column.

The Slutsky matrix  $D_{p_j,p_{j+1}}f_i^j+D_{w_i}f_i^jf_i^{jT}$  is negative semi-definite, so  $v^T(D_{p_j,p_{j+1}}f_i^j+D_{w_i}f_i^jf_i^{jT})v$  is zero if and only if v and  $(p_j,p_{j+1})$  are collinear and negative otherwise. Therefore the coefficient in front of  $\alpha$  is zero if and only if q=0 and negative otherwise. Hence the determinant of the perturbed modified matrix is a polynomium of degree  $\ell n-1$  in  $\alpha$ , where the coefficient in front of  $\alpha^{\ell n-1}$  is not zero. Thus there exists  $\bar{\beta}>0$  such that if  $0<\alpha<\bar{\beta}$ , then the perturbed modified matrix has full rank and locally prices are differentiable functions of endowments according to the implicit function theorem.

#### References

- Azariadis, C., (1981), Self-fulfilling prophecies, Journal of Economic Theory 25, 380-396.
- Azariadis, C., & R. Guesnerie (1986), Sunspots and cycles, Review of Economic Studies 53, 725-737.
- Benhabib, J., & R. Day (1982), A Characterization of erratic dynamics in the overlapping generations model, Journal of Economic Dynamics and Control 4, 37-55.
- Benhabib, J., & G. Laroque (1988), On competitive cycles in productive economies, Journal of Economic Theory 45, 145-170.
- Benhabib, J., & K. Nishimura (1979), The Hopf bifurcation and the existence and stability of closed orbits in multisector models of optimum economic growth, Journal of Economic Theory 21, 421-444.

- Boldrin, M., & L. Montrucchio (1986), On the indeterminacy of capital accumulation paths, Journal of Economic Theory 40, 26-36.
- Citanna, A., & P. Siconolfi (2007), Short-memory equilibrium in stochastic overlapping generations economies, Journal of Economic Theory **134**, 448-469.
- Davila, J., (1997), Sunspot fluctuations in dynamics with predetermined variables, Economic Theory 10, 483-495.
- Gale, D., (1973), Pure exchange equilibrium of dynamic economic models, Journal of Economic Theory 6, 12-36.
- Ghiglino, C., & M. Tvede (1995), Endowments, stability and fluctuations in OG models, Journal of Economic Dynamics and Control 19, 619-653.
- Ghiglino, C., & M. Tvede (2004), Dynamics in OG economies, Journal of Difference Equations and Applications 10, 463-472.
- Grandmont, J.-M., (1985), On endogenous competitive business cycles, Econometrica **53**, 995-1046.
- Julien, B., (1988), Competitive business cycles in an overlapping generations economy with productive investment, Journal of Economic Theory 46, 45-65.
- Kehoe, T., & D. Levine (1984), Regularity in overlapping generations exchange economies, Journal of Mathematical Economics 13, 69-93.
- Mas-Colell, A., (1985), The theory of general equilibrium: a differentiable approach, Cambridge University Press.
- Reichlin, P., (1986), Equilibrium cycles in an overlapping generations economy with production, Journal of Economic Theory 40, 89-102.
- Shell, K., (1977), Monnaie et allocation intertemporelle, Communication to the Roy-Malinvaud seminar, mimeo, Paris.
- Sorger, G., (1994), On the structure of Ramsey equilibrium: cycles, indeterminacy, and sunspots, Economic Theory 4, 745-764.